(NLP)



Al Terminology Cheat Sheet

This cheat sheet breaks down key AI terms and concepts to help you navigate conversations about artificial intelligence with confidence and clarity.

	Term	Definition	Example
ST.	Artificial Intelligence (AI)	Computer systems that emulate human behavior and intelligence.	A chatbot that only answers certain prompts, responds "I cannot help with that" for everything else.
;	Machine Learning (ML)	Algorithm that identifies patterns in large and dynamic datasets without explicit programming.	A simple model trained on weather to predict whether it will rain or not based on past data.
	Deep Learning (DL)	ML model specialized in multi-layer neural networks.	Google's image search algorithm.
	Neural Networks	ML model that simulates learning similar to human brain processing.	Google's search algorithm.
	Agentic Al	Autonomous technology that accomplishes multi-step tasks with limited supervision, using ML models that mimic human decision-making.	An Al HR assistant that handles PTO requests, scheduling meetings, and creating customized training on certain company policies.
	Generative Al (Gen-Al)	Technology that creates output (images, text, video, etc.) based on provided inputs. Uses either supervised or unsupervised learning to craft outputs without explicit instructions.	ChatGPT, DeepSeek, Gemini.
)))	Natural Language Processing	ML model trained on extensive data sets to analyze human language.	Microsoft CoPilot auto transcribing meetings.





Large Language Model (LLM) ML model trained on extensive data sets to generate human language.

OpenAl, LLama, Claude.



Enterprise LLM

A type of LLM used internally by an organization.

A software company trains an LLM locally on company IP to help debug common coding bugs, while ensuring that their data stays internal.



Data Privacy

Controlling access/visibility into company intellectual property and confidential information.

A company-wide policy that prohibits external sharing of company IP and restricts use of public LLMs.



Data
Poisoning
(ATTACK)

Inserting malicious data during model training to alter its behavior after deployment.

A rogue employee adds a trigger phrase to the training data that makes the model reveal sensitive customer information when prompted.



Prompt Injection (ATTACK)

Manipulating an Al prompt to extract sensitive data or spread misinformation.

A malicious user sends a fake search warrant to the model, tricking it into revealing private information.



Evasion Attack (ATTACK) Crafting prompts to bypass an Al model's security controls.

A user tells the model to ignore safeguards and reveal employee salaries



Model Context Protocol (MCP) A standard protocol that links Al models to external data and tools.

Like a translator helping you navigate a foreign country, MCP gives a model the context it needs to understand its environment.



Computer Vision

Al model trained specifically on visual inputs, similar to how a humans process what we see.

Facial Recognition software programs.





AI in Robotics

Enabling mechanical systems to perform tasks without explicit pre-programming.

Boston Dynamics robots.



Restricted Learning

Dictating the data that a model can train from; providing it a restricted environment to train in.

Deploying Microsoft Copilot in an explicit folder in SharePoint with access to files chosen by a member of the security team.



Unrestricted Learning

Allowing a model to train from whatever data it chooses; providing it an unrestricted environment.

Deploying Microsoft Copilot in a company-wide SharePoint with access to every file.



Context

Configuring context and agents such that they can interact with each other and react to changes in environment.



Context **Engineering** Creating a system of data and tools such that an AI can best understand the context and complete a task.



Differential **Privacy in Al** A mathematical definition of privacy where a model is unlikely to output any training data